

**Table 2: SUMMARY OF SOUTHWIDE SOUTHERN PINE BEETLE TREND PREDICTIONS FOR 2013**

Compiled by Ron Billings, Texas A&M Forest Service, based on data received from Southwide cooperators

As of June 6, 2013

State	2012					2013					2013 Predict Trend / I
	No. of infestations 2011	No. of locations trapped	%SPB	SPB/ trap/day	Clerids/ trap/day	No. of infestations 2012	No. of locations trapped	%SPB	SPB/ trap/day	Clerids/ Trap/day	
Oklahoma	0	3	0%	0	9.0	0	3	0%	0.0	9.6	Static/Low
Arkansas	0	10	0%	0	8.0	0	7	0%	0.0	16.4	Static/Low
Texas	0	17	0%	0	13.0	0	17	0%	0.0	9.1	Static/Low
Louisiana	0	8	0%	0	3.7	0	27	0%	0.0	8.4	Static/Low
Mississippi	2	20	4%	0.5	10.6	1068	26	36%	9.8	10.8	Increasing Moderate
Alabama	28	8	16%	1.2	6.5	57	8	38%	7.2	11.9	Increasing/Low-Mo
Georgia	1	27	3%	0.4	14.0	0	37	13%	1.6	9.5	Increasing/Low
Kentucky	0	2	0%	0	0.6	0	2	0%	0	3.2	Static/Low
Tennessee	0	6	0%	0	4.2	0	6	0%	0.0	5.2	Static/Low
Virginia	31	6	33%	5.0	5.0	23	0	21%	5.9	22.1	Increasing/Low
Florida	2	26	28%	0.7	1.8	11	25	41%	0.4	0.7	Static/Low
South Carolina	0	35	2%	0.1	6.1	3	36	17%	0.8	7.4	Static/Low
North Carolina	0	21	3%	0.1	3.3	0	14	2%	0.1	4.9	Static/Low
Maryland	0	4									
Delaware	0	1	6%	0.2	2.3	8	1	0%	0	5.9	Static/Low
New Jersey											
16 States	64	194	9%	0.6	6.3	1170	209	30%	1.8	8.9	Increasing/Low-Mo

3 ion level	Most likely locations for SPB Activity in 2013
te - High	Homochitto N.F., Tombigbee N.F., Bienville N.F., Jasper, Scott & Smith Co.
oderate	Bankhead N.F., Oakmulgee R.D., Shoal Creek R.D..
	Fort Stewart Army Base, Franklin Co., Jackson Co.
	Chesterfield Co., Cumberland Co.
	St. Johns Co.
	McCormick Co., Edgefield Co.
	Sussex Co.
oderate	Increasing SPB activity in MS and AL and local areas in GA, SC and VA; Low levels elsewhere.



|